



Personal  
Protection  
Equipment



**ATLANTIC  
MEDICAL  
GEAR**

# FACE MASKS



YL-100052  
ASTM 2 hospital  
grade surgical  
mask

## Description/Features:

- Soft and comfortable 3 ply
- Foldable
- Fluid resistant
- Standard earloop
- Front nose strip for adjustment
- Hospital grade
- Sterilized
- Disposable
- BFE 98%
- PFE 98%
- Moderate fluid resistance 120 mmHg
- Breathability - Delta P < 5.0 mm H2O/cm2

## Material:

- Melt blown polymer
- Non woven fabric

## Packaging:

- 10 pieces per pack

## Qty / Carton:

- 1000 packs

## Certification:

- CE / FDA



YL-100054  
3-ply regular mask  
non surgical

## Description/Features:

- Soft and comfortable 3 ply.
- Foldable.
- Fluid resistant
- Standard earloop
- Front nose strip for adjustment
- Disposable
- Not Sterile
- BFE 98%
- PFE 98%
- Moderate fluid resistance 120 mmHg
- Breathability - Delta P < 5.0 mm H2O/cm2

## Material:

- Melt-blown polymer
- Non woven fabric

## Packaging:

## Qty / Carton:

## Certification:



YL-100055  
Pediatric/Child  
face mask

#### Description/Features:

- Soft, lightweight materials for comfort
- Comfortable knitted earloops
- Formable nose wire for a custom fit on small faces
- 3D design with clearance for better breathing
- To be replaced after 8 hours of use

#### Material:

- Made with soft nonwoven material

#### Packaging:

- 2 per pack

#### Qty / Carton:

- 1000 per case

#### Certification:

- Produced from NISHO Certified Plant



YL-100057-X  
Washable face mask  
with cartridge style 1

#### Description/Features:

- Non Medical Mask
- Adult size
- Hand Washable

#### Material:

- 100% cotton

#### Packaging:

- Single

#### Qty / Carton:

- 50

#### Certification:

N/A

# RESPIRATORS



YL-100001- KN95  
Respirator

## Description/Features:

- 5 layer construction

## Material:

- Non-woven fabric outer
- Electrostatic filter cotton
- KN95 standard material
- Electriostatic meltblower layer
- Soft non-woven inner layer for skin contact

## Packaging:

- 10 per pack

## Qty / Carton:

- 2000 per case

## Certification:

- FDA Emergency Use Authorization listed
- GB2626-2006



YL-100003 - KN95  
Respirator

## Description/Features:

- 5 layer construction

## Material:

- Non-woven filter outer layer
- Electrostatic meltblown layer
- KN95 standard filter material
- Electrostatic meltblown layer
- Soft non-woven inner layer for skin contact

## Packaging:

- 10 per pack

## Qty / Carton:

- 2000 per case

## Certification:

- FDA Registered GB2626-2006



**YL-100005 -N95**  
NIOSH Approved  
Respirator

#### Description/Features:

- Waterproof upper layer reinforces the protection performance
- Trapezoid shape design makes the respirator spacious and comfortable
- Meltblown microfibers filter layer enhances the filtration of airborne particles with lowest breathing resistance
- Adjustable inner nose clip provides better seal and fit
- High elastic straps help provide a secure and comfort fit

#### Material:

- 1 ply SPP non-woven
- 1 ply meltdown non-woven
- 1 playh non-woven

#### Packaging:

#### Qty / Carton:

#### Certification:

- FDA Emergency Use Authorization listed
- NIOSH 42CFR84



**YL-100008 -N95**  
Chinese hospital  
official respirator

#### Description/Features:

- Waterproof upper layer reinforces the protection performance
- Trapezoid shape design makes the respirator spacious and comfortable
- Meltblown microfibers filter layer enhances the filtration of airborne particles with lowest breathing resistance
- Adjustable inner nose clip provides better seal and fit
- High elastic straps help provide a secure and comfort fit

#### Material:

- Two kinds of inner materials: special soft nonwoven and 100% PurCotton nonwoven.

#### Packaging:

- Independent packaging and flat folded design make storage easy.

#### Qty / Carton:

#### Certification:

- GB 19083 standard

# GOWNS



YL - 200031  
Disposable isolation  
gown - level 2

## Description/Features:

- Fluid resistant breathable SMS
- Tie at the waist

## Size:

- One size

## Material:

- Material: 100% PP SMS
- Non Woven Surgical Disposable Sterile Gown
- Fabric weight: 25gsm

## Packaging:

- 32 x 50 x 32 cm
- NW: 9.8 kgs
- GW: 10.8 kgs

## Qty / Carton:

- 100pcs/ carton

## Certification:

- AAMI level 2 standard



YL - 200037  
Disposable isolation  
gown - level 4  
without tape

## Description/Features:

- PPSB Coated PE materials provide excellent protection from liquid-borne microbes.
- Heat sealed seams with tape design provide high performance on hydrostatic pressure and fluids impact.
- Tie at the neck and waist for secure protection
- AAMI Level 4 protection (AAMI - Association for the Advancement of Medical Instrumentation)

## Material:

- 55% PP / 45% PE
- Fabric weight: 36gsm

## Packaging:

- NW: 9.8kgs, GW:10.8kgs

## Qty / Carton:

- 100pcs/ carton

## Certification:

- AAMI Level 4 protection (AAMI - Association for the Advancement of Medical Instrumentation)



YL - 200038  
Disposable isolation  
gown - level 4  
with tape

#### Description/Features:

- PPSB Coated PE materials provide excellent protection from liquid-borne microbes
- Heat sealed seams with tape design provide high performance on hydrostatic pressure and fluids impact
- Tie at the neck and waist for secure protection
- AAMI Level 4 protection (AAMI - Association for the Advancement of Medical Instrumentation)

#### Material:

- 55% PP / 45% PE
- Fabric weight: 36gsm

#### Packaging:

- NW: 9.8kgs, GW:10.8kgs

#### Qty / Carton:

- 100pcs/ carton

#### Certification:

- AAMI level 4 standard (AAMI - Association for the Advancement of Medical Instrumentation)



YL - 200039  
PE gown

#### Description/Features:

- Made from PE or CPE and provides high-level fluid protection.
- Tie-bands in neck and waist for quick application.
- Full length for maximum coverage.
- Thumb loop for maximum protection, sewn seams provide superior strength.
- Soft, elastic bands in the sleeves to minimize pressure on the skin.

#### Material:

- Polyethylene

#### Packaging:

- 10 pcs/bag

#### Qty / Carton:

- 2100pcs/carton

#### Certification:

- FDA registered



# COVERALLS



YL - 200033 - X  
Protective coverall  
with tape

## Description/Features:

- Breathable fabric helps offer comfort to the wearer.
- Overlocked seam with extra tape for added strength and an improved liquid barrier
- Front zipper with resealable storm flap
- Hood designed with perfect fit
- Knitted cuff for secure fit
- Anti Skid shoe cover: all-in-one or separate design

## Material:

- SS non-woven fabric II PE film, abrasion-proof and stops microporus particles

## Packaging:

- Individually packaged

## Qty / Carton:

- 100pcs/ carton

## Certification:

- Compliance to EN14126, ISO16603 and ISO16604



YL - 200036 X  
Tyvek material coverall

## Description/Features:

- Breathable fabric helps offer comfort to the wearer.
- Overlocked seam with extra tape for added strength and an improved liquid barrier
- Front zipper with resealable storm flap
- Hood designed with perfect fit
- Knitted cuff for secure fit
- Anti Skid shoe cover: all-in-one or separate design

## Material:

- Tyvek 1422a

## Packaging:

- Individually packaged

## Qty / Carton:

- 100pcs/ carton

## Certification:

- Compliance to EN14126, ISO16603 and ISO16604





YL - 200037

Protective Coverall with  
Tape including shoe  
cover (One Piece )

#### Description/Features:

#### Material:

- SS non-woven fabric, PE film, abrasion-proof and stops microporous particles, ANSI AAMI
- PB70: 2012 tested for liquid penetration and impact penetration

#### Packaging:

- Individually packaged

#### Qty / Carton:

- 100pcs/ carton

#### Certification:

- GB19082-2009, AAMI PB70-2012, EN 340-2003, EN14126-2003

## ACCESSORIES



YL - 200034

Disposable head cover

### Description/Features:

- Elastic

### Material:

- Polypropylene

### Packaging:

- 10pcs in one sterile bag,

### Qty / Carton:

- 5,000pcs each carton

### Certification:

N/A



YL - 200035

Disposable shoe cover

### Description/Features:

- Elastic Top
- Non Slip
- Blue color

### Material:

- Polypropylene
- Fabric weight 28 gsm

### Packaging:

### Qty / Carton:

- 300 pcs / carton

### Certification:

N/A



YL - 200045  
Non contact digital  
thermometer

#### Description/Features:

- Designed to take the body temperature of a person without the interference from the heat of the surrounding environment.
- Never wake the patient to take their temperature.
- Audio alarm when the temperature is too high.
- No probe covers reduces costs.
- No touch reduces cross contamination.
- Memory for 32 previous measurements.
- Back-lit LCD screen.
- Data can be displayed in either Celsius or Fahrenheit.
- Automatic shut off.
- Fast and accurate.
- Practical and easy to use.
- Body-Mode Temperature Range : 89.6°F - 109.2°F (32°C - 42.9°C)
- Measuring Distance : 1.2in - 2in (3cm - 5cm)
- Accuracy : 0.6°F (0.3°C)
- Batteries : 2 AA (not included)

**Packaging:** Single unit | **Qty / Carton:** 25 per carton

**Certification:** FDA approved



#### YL - 200046

Blood oxygen meter  
Oximeter

### Description/Features:

The product is easy to use, small in volume, light in weight, and convenient in carrying. It has strong anti-ambient light interference, and uses low consumption design. The low power indicator is on the front panel. It should be used for spot monitoring only and not for continuous monitoring. It is ideal for use in the hospital, clinic, home, oxygen bar, sports centre, mountain climbing, piloting airplanes, etc.

### Color OLED display

- AS-301 | AS-302 | AS-303

### Bicolor LED display

- AS-301-L | AS-302-L

### SpO2 Measurement

- Measurement range: 30bpm ~ 250bpm
- Resolution: 1bpm
- Accuracy: The greater of  $\pm 1\%$  and 1bpm

### Parameters

- Working current: 20mA ~ 130mA
- Safety type: Internal power supply, Type BF applied part
- Direction sensor: Four-way display (optional)
- Light sensor:
  - Red light (wavelength 662nm ~ 666nm 7mW)
  - Infrared light: (wave length 890nm ~ 900nm 5.5mW)

### Normal Working Condition

- Data update cycle: Not more than 12 hours
- Temperature: 5-40 °C
- Humidity:  $\leq 80\%$
- Atmospheric pressure: (86~106) kPa
- Battery: DC 3.0V (2 × AAA batteries)
- Anti-ambient light interference ability:
  - (The deviation between the SpO2 measured in the room with day lighting or illumination source and that measured in the darkroom is less than  $\pm 1\%$ .)
- Low perfusion error:
  - SpO2 and pulse rate can be shown correctly when pulse-filling ratio is 0.2%.

# GLOVES



YL - 100097

Vinyl powder-free glove  
(medium)

## Description/Features:

- Powder free
- 100% Latex free
- 100% DEHP and DINP free

## Material:

- 100% vinyl resin

## Size:

- S, M, L, XL

## Packaging:

- Packed 100/Box  
10Box/Case

## Qty / Carton:

- 1,000 PCS/CS Total

## Certification:

N/A



YL - 100091 O- X

Nitrile powder-free  
glove (medium)

## Description/Features:

- Made from 100% Nitrile
- Powder Free, Latex Free
- Three times more resistant to puncture than latex or vinyl
- Far better chemical resistance than either latex or vinyl
- Designed for maximum freedom of movement and minimum hand fatigue
- Rolled cuff
- Provides added protection at wrist and ensures a secure fit.
- Available in both powdered and powder-free forms
- Can be used for medical applications
- In accordance with FDA regulations for contact with food

## Material:

- Nitrile

## Size:

- S, M, L, XL

## Packaging:

- 100 pcs / box

## Qty / Carton:

- 10 boxes / case

## Certification:

N/A

# FACE PROTECTION



## Features:

- Double Anti-fog
- Anti - pollution
- Anti - splash
- Anti - dust
- Anti - pollen
- Comfortable sponge support
- Elastic Band
- Lightweight
- Reusable
- High Permeability Film

## Material:

- HD film + Sponge + Elastic band

## Packaging:

- Individually packed

## Qty / Carton:

- 200 pcs / Carton

## Certification:

N/A



## Features:

- Anti-fog with indirect vents for full cover
- Elastic band support
- Shatter resistant PC lens
- Special treatment against fogging
- Lens with UV protection
- Unisex goggles
- Waterproof

## Material:

- PVC

## Packaging:

- Individually packaged

## Quantity / Carton:

N/A

## Certification:

- CE / FDA



## Contact:

---

[info@atlanticmedicalgear.com](mailto:info@atlanticmedicalgear.com)

[www.atlanticmedicalgear.com](http://www.atlanticmedicalgear.com)